

Bibliography on armadillos (Dasypodidae)

Mariella Superina, Dr. med. vet., Ph.D.
Laboratorio de Reproducción y Lactancia
IMBECU, CRICYT-CONICET
Casilla de Correos 855
5500 Mendoza, Argentina
mesuperi@uno.edu

2001 – 2007

ABBA, A. M., D. E. U. SAUTHIER, and S. F. VIZCAÍNO (2005): "Distribution and use of burrows and tunnels of *Chaetophractus villosus* (Mammalia, Xenarthra) in the eastern Argentinean pampas." *Acta Theriologica* 50: 115-124.

ABBA, A. M., S. F. VIZCAÍNO, and M. H. CASSINI (2007): "Effects of land use on the distribution of three species of armadillos in the Argentinean pampas." *Journal of Mammalogy* 88: 502-507.

ADAMOLI, V. C., P. D. CETICA, M. S. MERANI, and A. J. SOLARI (2001): "Comparative morphologic placental types in Dasypodidae (*Chaetophractus villosus*, *Cabassous chacoensis*, *Tolypeutes matacus* and *Dasypus hybridus*)." *Biocell* 25: 17-22.

ADAMS, J. E., M. T. PENA, T. P. GILLIS, D. L. WILLIAMS, L. B. ADAMS, and R. W. TRUMAN (2005): "Expression of nine-banded armadillo (*Dasypus novemcinctus*) interleukin-2 in *E. coli*." *Cytokine* 32: 219-225.

AFFANNI, J. M., C. O. CERVINO, and H. J. ALDANA MARCOS (2001): "Absence of penile erections during paradoxical sleep. Peculiar penile events during wakefulness and slow wave sleep in the armadillo." *Journal of Sleep Research* 10: 219-228.

ALDANA MARCOS, H. J., and J. M. AFFANNI (2005): "Anatomy, histology, histochemistry and fine structure of the Harderian gland in the South American armadillo *Chaetophractus villosus* (Xenarthra, Mammalia)." *Anatomy & Embryology* 209: 409-424.

ALDANA MARCOS, H. J., C. C. FERRARI, C. CERVINO, and J. M. AFFANNI (2002): "Histology, histochemistry and fine structure of the lacrimal and nictitans gland in the South American armadillo *Chaetophractus villosus* (Xenarthra, Mammalia)." *Experimental Eye Research* 75: 731-744.

ANACLETO, T. C., and J. MARINHO FILHO (2001): "Habitos alimentares do tatu-canastra (*Xenarthra*, *Dasypodidae*) em uma área de cerrado do Brasil Central. (Food habits of the giant armadillo (*Xenarthra*, *Dasypodidae*) in an area of grassland of central Brazil." *Revista Brasileira de Zoologia* 18: 681-688.

ANACLETO, T. C. S. (2007): "Food habits of four armadillo species in the Cerrado Area, Mato Grosso, Brazil." *Zoological Studies* 46: 529-537.

ANACLETO, T. C. S., and J. A. F. DINIZ (2006): "Estimating potential geographic ranges of armadillos (*Xenarthra*, *Dasypodidae*) in Brazil under niche-based models." *Mammalia* 70: 202-213.

- ANONYMOUS (2002):** "Almanac. (Geographica). (armadillos)." *National Geographic* 201: 18.
- ATANAENA GONCALVES DE ANDRADE, F., M. E. BARRONCAS FERNANDES, M. C. BARROS, and H. SCHNEIDER (2006):** "A range extension for the yellow armadillo, *Euphractus sexcinctus* Linnaeus, 1758 (Xenarthra: Dasypodidae), in the eastern brazilian Amazon." *Edentata* 7: 25-30.
- BAGAGLI, E., S. M. BOSCO, R. C. THEODORO, and M. FRANCO (2006):** "Phylogenetic and evolutionary aspects of *Paracoccidioides brasiliensis* reveal a long coexistence with animal hosts that explain several biological features of the pathogen." *Infect. Genet. Evol.* 6: 344-351.
- BAGAGLI, E., M. FRANCO, S. D. M. BOSCO, F. HEBELER-BARBOSA, L. A. TRINCA, and M. R. MONTENEGRO (2003):** "High frequency of *Paracoccidioides brasiliensis* infection in armadillos (*Dasypus novemcinctus*): an ecological study" *Medical Mycology* 41: 217-223.
- BARRIENTOS, J. (2004):** "Monitoreo de corechis (*Tolypeutes matacus*): el área de acción mediante la telemetría en Cerro Colorado del Chaco boliviano." II Congreso de investigadores en recursos naturales del Parque Nacional Kaa-lyá y zonas de influencia, San José de Chiquitos, Sept. 5-10: 16-18.
- BARRIENTOS, J., and R. L. CUÉLLAR (2004):** "Área de acción de *Tolypeutes matacus* por telemetría y seguimiento por hilos en Cerro Cortado del Parque Kaa-lyá." II Congreso de investigadores en recursos naturales del Parque Nacional Kaa-lyá y zonas de influencia, San José de Chiquitos, Sept. 5-10: 111-115.
- BECHARA, G. H., M. P. J. SZABO, W. V. ALMEIDA FILHO, J. N. BECHARA, R. J. G. PEREIRA, J. E. GARCIA, and M. C. PEREIRA (2002):** "Ticks Associated with Armadillo (*Euphractus sexcinctus*) and Anteater (*Myrmecophaga tridactyla*) of Emas National Park, State of Goias, Brazil." *Ann. N.Y. Acad. Sci.* 969: 15.
- BERGQVIST, L. P., E. A. L. ABRANTES, and L. D. AVILLA (2004):** "The Xenarthra (Mammalia) of Sao Jose de Itaboraí Basin (upper Paleocene, Itaboraian), Rio de Janeiro, Brazil." *Geodiversitas* 26: 323-337.
- BERMÚDEZ, P. M., N. N. POLINI, and E. B. CASANAVE (2001):** "Estudio de la hemostasia primaria y algunos parámetros de la coagulación en *C. villosus*, Mammalia, Dasypodidae." *Hematología Argentina* 5: 140.
- BERMÚDEZ, P. M., N. N. POLINI, and E. B. CASANAVE (2001):** "Vías y factores de la coagulación en *Chaetophractus villosus* (Mammalia, Dasypodidae)." XVI Jornadas Argentinas de Mastozoología, Mendoza, 20. - 23.11.2001: 75.
- BERMÚDEZ, P. M., N. N. POLINI, and E. B. CASANAVE (2004):** "A study of platelets in the armadillo *Chaetophractus villosus* (Xenarthra, Dasypodidae)." *Platelets* 15: 279-285.
- BERTELSMANN (n.d.):** "Gürteltiere." in *Bertelsmann Tierlexikon*, ed. by Bertelsmann.
- BERTONI, M. A. (in press):** "Isquemia cerebral aguda. Modelo experimental en el *Chaetophractus villosus*. Su estudio mediante IRM. (Acute stroke, experimental model in *Chaetophractus villosus*)." *Diagnóstico, Argentina*.

BEZERRA, A. M. R., F. H. G. RODRIGUES, and A. P. CARMIGNOTTO (2001): "Predation of rodents by the Yellow Armadillo (*Euphractus sexcinctus*) in Cerrado of the Central Brazil." *Mammalia* 65: 86-88.

BOILY, P. (2002): "Individual variation in metabolic traits of wild nine-banded armadillos (*Dasypus novemcinctus*), and the aerobic capacity model for the evolution of endothermy." *Journal of Experimental Biology* 205: 3207-3214.

BOILY, P., and F. M. KNIGHT (2002): "Functional significance of cold-induced hyperthermia in the nine-banded armadillo (*Dasypus novemcinctus*)." *Faseb Journal* 16: A43-A44.

BOILY, P., and F. M. KNIGHT (2004): "Cold-induced fever and peak metabolic rate in the nine-banded armadillo (*Dasypus novemcinctus*)." *Physiological & Biochemical Zoology* 77: 651-657.

BONATO, V. (2002): *Ecologia e história natural de tatus do Cerrado de Itirapina, São Paulo (Xenarthra: Dasypodidae)*. Masters, Universidade Estadual de Campinas, Unicamp, Capinas, São Paulo: 80.

BOND, B. T., R. J. WARREN, and M. I. NELSON (2002): "Winter mortality of adult nine-banded armadillos (*Dasypus novemcinctus*) on Cumberland Island, Georgia." *Georgia Journal of Science* 60: 209-215.

BORODULINA, O. R., and D. A. KRAMEROV (2005): "PCR-based approach to SINE isolation: Simple and complex SINEs." *Gene* 349: 197-205.

BOSCO, S. M. G., and ET AL. (2005): "Molecular detection of *Paracoccidioides brasiliensis* DNA in stool and tissue samples of naturally infected armadillos." *Revista do Instituto de Medicina Tropical de São Paulo* 47: 63.

BUENO, A. A., M. J. LAPENTA, F. OLIVEIRA, and J. C. MOTTA-JUNIOR (2004): "Association of the "IUCN vulnerable" spiny rat *Clyomys bishopi* (Rodentia: Echimyidae) with palm trees and armadillo burrows in southeastern Brazil." *Rev. Biol. Trop.* 52: 1009-1011.

BUTLER, J. A., C. BROADHURST, M. GREEN, and Z. MULLIN (2004): "Nesting, nest predation and hatchling emergence of the Carolina diamondback terrapin, *Malaclemys terrapin centrata*, in northeastern Florida." *American Midland Naturalist* 152: 145-155.

CARLINI, A. A., S. MAGALLANES, and D. COLAUTI (2001): "Ritmo de crecimiento dentario en Dasypodidae, su relación con la temperatura y el fotoperíodo." XVI Jornadas Argentinas de Mastozoología, Mendoza, 20. - 23.11.2001: 8.

CARTER, A. M. (2001): "Evolution of the placenta and fetal membranes seen in the light of molecular phylogenetics." *Placenta* 22: 800-807.

CASANAVE, E. B. (2001): "Comparative studies on the morphology and hematology of some armadillos." *J. Morphol.* 248: 214.

CASANAVE, E. B., P. M. BERMÚDEZ, and N. N. POLINI (2005): "Haemostatic mechanisms of the armadillo *Chaetophractus villosus* (Xenarthra, Dasypodidae)." *Comparative Clinical Pathology* 13: 171-175.

CASANAVE, E. B., P. M. BERMÚDEZ, and N. N. POLINI (2006): "Principal coagulation factors and natural anticoagulants in the armadillo *Chaetophractus villosus* (Mammalia, Xenarthra, Dasypodidae)." *Comparative Clinical Pathology* 14: 210-216.

- CASANAVE, E. B., C. MANFREDI, and E. LUENGOS VIDAL (2002):** "Ecología comportamental de los armadillos en un pastizal serrano." II Jornadas Interdisciplinarias del Sudoeste Bonaerense, (in press), June 2002
- CAVAGNARI, B. M., D. MILIKOWSI, J. F. HALLER, M. C. ZANEK, J. A. SANTOME, and M. R. ERMACORA (2002):** "Optical characterization of armadillo acyl-CoA binding protein." *International Journal of Biological Macromolecules* 31: 19-27.
- CAVAGNARI, B. M., N. STERIN-SPEZIALE, J. M. AFFANNI, J. KNUDSEN, and J. A. SANTOME (2001):** "Acyl-CoA-binding protein in the armadillo Harderian gland: Its primary structure and possible role in lipid secretion." *Biochimica et Biophysica Acta* 1545: 314-325.
- CERESOLI, N., G. TORRES JIMÉNEZ, and E. FERNANDEZ DUQUE (2003):** "Datos morfológicos de los armadillos del Complejo Ecológico Municipal de Sáenz Peña, Provincia del Chaco, Argentina." *Edentata* 5: 35-37.
- CETICA, P. D., H. J. A. MARCOS, and M. S. MERANI (2005):** "Morphology of female genital tracts in Dasypodidae (Xenarthra, Mammalia): a comparative survey." *Zoomorphology* 124: 57-65.
- CHEADLE, M. A., P. E. GINN, D. S. LINDSAY, and E. C. GREINER (2002):** "Neurologic disease in gamma-interferon gene knockout mice caused by *Sarcocystis neurona* sporocysts collected from opossums fed armadillo muscle." *Veterinary Parasitology* 103: 65-69.
- CHEADLE, M. A., D. S. LINDSAY, and E. C. GREINER (2006):** "Lack of *Sarcocystis neurona* antibody response in Virginia opossums (*Didelphis virginiana*) fed *Sarcocystis neurona*-infected muscle tissue." *J. Parasitol.* 92: 652-654.
- CHEADLE, M. A., S. M. TANHAUSER, J. B. DAME, D. C. SELLON, M. HINES, P. E. GINN, R. J. MACKAY, and E. C. GREINER (2001):** "The nine-banded armadillo (*Dasypus novemcinctus*) is an intermediate host for *Sarcocystis neurona*." *Int. J. Parasitol.* 31: 330-335.
- CHURAKOV, G., A. F. SMIT, J. BROSIUS, and J. SCHMITZ (2005):** "A novel abundant family of retroposed elements (DAS-SINEs) in the nine-banded armadillo (*Dasypus novemcinctus*)." *Mol. Biol. Evol.* 22: 886-893.
- CODÓN, S. M., S. ESTECONDO, and E. B. CASANAVE (2003):** "Histological study of the salivary glands in *Dasypus hybridus* (Mammalia, Dasypodidae)." *Int. J. Morphol.* 21: 199-204.
- CODÓN, S. M., S. G. ESTECONDO, E. J. GALÍNDEZ, and E. B. CASANAVE (2001):** "Ultrastructure and morphometry of ovarian follicles in the armadillo *Chaetophractus villosus* (Mammalia, Dasypodidae)." *Rev. Bras. de Biol.* 61: 485-499.
- CORDEIRO, R. A., R. S. BRILHANTE, M. F. ROCHA, M. A. FECHINE, L. M. CAMARA, Z. P. CAMARGO, and J. J. SIDRIM (2006):** "Phenotypic characterization and ecological features of *Coccidioides* spp. from Northeast Brazil." *Med. Mycol.* 44: 631-639.
- CORN, J. L., E. J. B. MANNING, S. SREEVATSAN, and J. R. FISCHER (2005):** "Isolation of *Mycobacterium avium* subsp. paratuberculosis from free-ranging birds and mammals on livestock premises." *Applied & Environmental Microbiology* 71: 6963-6967.

- CORREDOR, G. G., L. A. PERALTA, J. H. CASTAÑO, J. S. ZULUAGA, B. HENAO, M. ARANGO, A. M. TABARES, D. MATUTE, J. McEWEN, and A. RESTREPO (2005):** "The naked-tailed armadillo *Cabassous centralis* (Miller 1899): A new host to *Paracoccidioides brasiliensis*. Molecular identification of the isolate." *Medical Mycology* 43: 275-280.
- COSTA, F. A. M., and ET AL. (2001):** "Coccidioidomicose pulmonar em caçador de tatus." *Jornal de Pneumologia* 27: 275-278.
- COSTABEL, M. D., M. R. ERMACORA, J. A. SANTOME, P. M. ALZARI, and D. M. GUERIN (2006):** "Structure of armadillo ACBP: a new member of the acyl-CoA-binding protein family." *Acta Crystallograph. Sect. F Struct. Biol. Cryst. Commun.* 62: 958-961.
- CUÉLLAR, E. (2001):** "The tatujeikurajoyava (*Chlamyphorus retusus*) in the Izozog communities of the Bolivian Gran Chaco." *Edentata* 4: 14-16.
- CUÉLLAR, E. (2002):** "Census of the three-banded armadillo *Tolypeutes matacus* using dogs, southern Chaco, Bolivia." *Mammalia* 66: 448-451.
- CULLEN, L. J., E. R. BODMER, and C. VALLADARES-PADUA (2001):** "Ecological consequences of hunting in Atlantic forest patches, Sao Paulo, Brazil." *Oryx* 35: 137-144.
- DA SILVA, A. V., S. DE MORAES GIMENES BOSCO, H. LANGONI, and E. BAGAGLI (2006):** "Study of *Toxoplasma* infection in Brazilian wild mammals: serological evidence in *Dasyus novemcinctus* Linnaeus, 1758 and *Euphractus sexcinctus* Wagler, 1830." *Vet. Parasitol.* 135: 81-83.
- DALECKY, A., S. CHAUVET, S. RINGUET, O. CLAESSENS, J. JUDAS, M. LARUE, and J. F. COSSON (2002):** "Large mammals on small islands: short term effects of forest fragmentation on the large mammal fauna in French Guiana." *Revue d'Ecologie la Terre et la Vie Suppl.* 8: 145-164.
- DALPONTE, J. C. (2004):** "Diet of the yellow armadillo, *Euphractus sexcinctus*, in south-central Brazil." *Edentata* 6: 37-41.
- DE CARVALHO OLIVEIRO, L., S. MISCOW MENDEL, D. LORETTO, J. DE SOUSA E SILVA JÚNIOR, and G. WILSON FERNANDES (2006):** "Edentates of the Saracá-Taquera National Forest, Pará, Brazil." *Edentata* 7: 3-7.
- DE IULIIS, G., and S. F. VIZCAÍNO (2003):** "Evidence for advanced carnivory in fossil armadillos." *Paleobiology* 29: 123-138.
- DEEM, S. L., and C. V. FIORELLO (2002):** "Capture and immobilization of free-ranging edentates." in *Zoological restraint and anesthesia*, ed. by H. D. Ithaca, N.Y.: International Veterinary Information Service (www.ivis.org): Doc. No. B0135.1202.
- DEFERRARI, G., and ET AL. (2002):** "Presencia de *Chaetophractus villosus* en Tierra del Fuego: nueva especie introducida, ¿Nuevo problema?" XVII Jornadas Argentinas de Mastozoología: 24.
- DELSUC, F., F. M. CATZEFLIS, M. J. STANHOPE, and E. J. P. DOUZERY (2001):** "The evolution of armadillos, anteaters, and sloths depicted by nuclear and mitochondrial phylogenies: implications for the status of the enigmatic fossil Eurotamandua." *Proceedings of the Royal Society of London, Biological Sciences* 268: 1605-1615.
- DELSUC, F., M. SCALLY, O. MADSEN, M. J. STANHOPE, W. W. DE JONG, F. M. CATZEFLIS, M. S. SPRINGER, and E. J. P. DOUZERY (2002):** "Molecular phylogeny of

living xenarthrans and the impact of character and taxon sampling on the placental tree rooting." *Molecular Biology and Evolution* 19: 1656-1671.

DELSUC, F., M. J. STANHOPE, and E. J. P. DOUZERY (2003): "Molecular systematics of armadillos (Xenarthra; Dasypodidae): Contribution of maximum likelihood and Bayesian analyses of mitochondrial and nuclear genes." *Molecular Phylogenetics and Evolution* 28: 261-275.

DELSUC, F., S. F. VIZCAÍNO, and E. J. P. DOUZERY (2004): "Influence of Tertiary paleoenvironmental changes on the diversification of South American mammals: a relaxed molecular clock study within xenarthrans." *BMC Evolutionary Biology* 4: 11.

DELUCIA, P. M., M. A. CHEADLE, and E. C. GREINER (2002): "Prevalence of Sarcocystic sarcocysts in nine-banded armadillos (*Dasypus novemcinctus*) from Florida." *Veterinary Parasitology* 103: 203-205.

DEPS, P. D., J. M. ANTUNES, and J. TOMIMORI-YAMASHITA (2007): "Detection of *Mycobacterium leprae* infection in wild nine-banded armadillos (*Dasypus novemcinctus*) using the rapid ML Flow test." *Rev. Soc. Bras. Med. Trop.* 40: 86-87.

DEPS, P. D., N. S. MICHALANY, and J. TOMIMORI-YAMASHITA (2004): "False positive reaction of the immunohistochemistry technique using anti-BCG polyclonal antibodies to identify *Mycobacterium leprae* in wild nine-banded armadillos." *Int. J. Lepr.* 72: 327-330.

DEPS, P. D., A. R. SANTOS, and J. YAMASHITA-TOMIMORI (2002): "Detection of *Mycobacterium leprae* DNA by PCR in blood sample from nine-banded armadillo: Preliminary results." *International Journal of Leprosy and Other Mycobacterial Diseases* 70: 34-35.

DEREURE, J., C. BARNABE, J. C. VIE, F. MADELENAT, and C. RACCURT (2001): "Trypanosomatidae from wild mammals in the neotropical rainforest of French Guiana." *Annals of Tropical Medicine and Parasitology* 95: 157-166.

DESBIEZ, A. L. J., and P. A. LIMA BORGES (2006): "Chasing behavior in yellow armadillos, *Euphractus sexcinctus*, in the Brazilian Pantanal (field note)." *Edentata* 7: 51-53.

DESCH, C. E., and T. B. STEWART (2002): "First description of a hair follicle mite from the host order Xenarthra: *Demodex dasypodi* n. sp. (Acari: Demodecidae) from the nine-banded armadillo, *Dasypus novemcinctus* Linnaeus, 1758 (Dasypodidae)." *International Journal of Acarology* 28: 169-174.

DIAS-LIMA, A. G., D. MENEZES, I. SHERLOCK, and F. NOIREAU (2003): "Wild habitat and related fauna of *Panstrongylus lutzi* (Reduviidae, Triatominae)." *Journal of Medical Entomology* 40: 989-990.

DÍAZ, M. M., and R. M. BARQUEZ (2002): "Familia Dasypodidae." in *Los mamíferos de Jujuy, Argentina.*, ed. by M. M. Díaz, and R. M. Barquez. Buenos Aires, Argentina: Literature of Latin America: 28-41.

DOMENICONI, R. F., M. A. FERNANDES DE ABREU, E. J. BENETTI, and J. DA SILVA VILLACA (2004): "The contribution of the aortic branches in the vascularization of cervical regions, during the development of the nine-banded armadillo (*Dasypus novemcinctus*, L. 1758)." *Int. J. Morphol.* 22: 113-118.

- DOSAPEY, T. (2003):** "Importancia medicinal y uso tradicional de cinco mamíferos y un reptil de la comunidad Ayorea Santa Teresita." I Congreso de investigadores en el Parque Nacional Kaa-Iya del Gran Chaco y zonas de influencia, La Brecha, Oct. 1-2: 60-62.
- DOYON, C., G. DROUIN, V. L. TRUDEAU, and T. W. MOON (2001):** "Molecular evolution of leptin." *General and Comparative Endocrinology* 124: 188-198.
- ENDERS, A. C. (2002):** "Implantation in the nine-banded armadillo: How does a single blastocyst form four embryos?" *Placenta* 23: 71-85.
- ESTEBAN, G., N. NASIF, C. I. MONTALVO, and G. VISCONTI (2003):** "New observations of Dasypodidae (Xenarthra) in the Cerro Azul formation (late Miocene) in Caleufu (La Pampa, Argentina)." *Ameghiniana* 40: 495-499.
- ESTEBAN, G. I., N. L. NASIF, and C. I. MONTALVO (2001):** "Nuevos registros de Dasypodidae (Xenarthra) del Mioceno tardío de la provincia de La Pampa, Argentina." *Revista Española de Paleontología* 16: 77-87.
- ESTECONDO, S., S. CODÓN, and E. CASANAVE (2001):** "Scanning electron microscopy study of the dorsal surface of the tongue in *Chaetophractus vellerosus* (Mammalia, Dasypodidae)." *Rev. Chil. Anat.* 19: 245-252.
- EULALIO KELSEN, D., R. L. DE MACEDO, M. CAVALCANTI, M. S. MARTINS LILINE, M. LAZERA, and B. WANKE (2001):** "Coccidioides immitis isolated from armadillos (*Dasypus novemcinctus*) in the state of Piauí, northeast Brazil." *Mycopathologia* 149: 57-61.
- FALLABRINO, A., and E. CASTIÑEIRA (2006):** "Situación de los edentados en Uruguay." *Edentata* 7: 1-3.
- FERNANDES, G. F., P. DEPS, J. TOMIMORI-YAMASHITA, and Z. P. CAMARGO (2004):** "IgM and IgG antibody response to *Paracoccidioides brasiliensis* in naturally infected wild armadillos (*Dasypus novemcinctus*)." *Medical Mycology* 42: 363-368.
- FONSECA, G. A. B. D., and J. M. AGUIAR (2004):** "The 2004 Edentate Species Assessment Workshop." *Edentata* 6: 1-26.
- FRANZEN, M. (2001):** "Las pautas de cacería de los Huaorani: la reacción a la economía-mercado en la Amazonía del Ecuador." Conservación y desarrollo sostenible del Parque Nacional Yasuní y su área de influencia: Memorias del seminario-taller 2001: 128-136.
- FRUTOS, S. D., and R. A. VAN DEN BUSSCHE (2002):** "Genetic diversity and gene flow in nine-banded armadillos in Paraguay." *J. Mammal.* 83: 815-823.
- GALÍNDEZ, E. J., S. ESTECONDO, and E. B. CASANAVE (2003):** "The Spleen of *Zaedyus pichiy*, (Mammalia, Dasypodidae). A light and electron microscopic study." *Anatomia, Histologia, Embryologia, UK* 32: 194-199.
- GALÍNDEZ, E. J., S. ESTECONDO, and E. B. CASANAVE (2006):** "The spleen of a specially adapted mammal, the little hairy armadillo *Chaetophractus vellerosus* (Xenarthra, Dasypodidae). A light and electron microscopic study." *International Journal of Morphology* 24: 339-348.
- GAMBARYAN, P. P. (2002):** "Ways of adaptive changes in claws of digging mammals. (in Russian)" *Zoologicheskii Zhurnal* 81: 978-990.

GAMMONS, D. (2006): *Radiotelemetry studies of armadillos in southwestern Georgia.* Master's thesis, University of Georgia, Athens.

GARLA, R. C., E. Z. F. SETZ, and N. GOBBI (2001): "Jaguar (*Panthera onca*) food habits in Atlantic rain forest of southeastern Brazil." *Biotropica* 33: 691-696.

GAUDIN, T. J., and J. R. WIBLE (2006): "The phylogeny of living and extinct armadillos (Mammalia, Xenarthra, Cingulata): A craniodental analysis." in *Amniote Paleobiology*, ed. by M. T. Carrano, T. J. Gaudin, R. W. Blob, and J. R. Wible. Chicago: The University of Chicago Press: 153-198.

GENOWAY, H. H., and R. M. TIMM (2003): "The xenarthrans of Nicaragua." *Mastozoología Neotropical* 10: 231-253.

GLENNY, R., S. BERNARD, B. NERADILEK, and N. POLISSAR (2007): "Quantifying the genetic influence on mammalian vascular tree structure." *Proc. Natl. Acad. Sci. USA* 104: 6858-6863.

GONZÁLEZ, E. M., A. SOUTULLO, and C. A. ALTUNA (2001): "The burrow of *Dasyopus hybridus* (Cingulata: Dasypodidae)." *Acta Theriologica* 46: 53-59.

GONZÁLEZ, J. A. (2003): "Patrones generales de caza y pesca en comunidades nativas y asentamientos de colonos aledaños a la Reserva Comunal Yanasha, Paso, Perú." Manejo de fauna silvestre en Amazonía y Latinoamérica: selección de trabajos V Congreso Internacional: 89-102.

GUERRA, M. M., and E. J. NARANJO (2003): "Cacería de subsistencia en dos localidades de la selva Lacandona, Chiapas, México." Manejo de fauna silvestre en Amazonía y Latinoamérica: selección de trabajos V Congreso Internacional: 339-344.

GUERRA-INFANTE, F. M., M. LOPEZ-HURTADO, S. FLORES-MEDINA, A. ZANIORA-RUIZ, and M. D. DE HARO-CRUZ (2001): "Detection of a tumor necrosis factor-like activity in culture supernatants of armadillo leukocytes." *International Journal of Leprosy and Other Mycobacterial Diseases* 69: 354-357.

GUGLIELMONE, A. A., A. ESTRADA-PENA, C. A. LUCIANI, A. J. MANGOLD, and J. E. KEIRANS (2003): "Hosts and distribution of *Amblyomma auricularium* (Conil 1878) and *Amblyomma pseudoconcolor* Aragao, 1908 (Acari : Ixodidae)." *Experimental and Applied Acarology* 29: 131-139.

HASS, A., F. H. G. RODRIGUES, and T. G. OLIVEIRA (2003): "The yellow armadillo, *Euphractus sexcinctus*, in the north/northeastern brazilian coast." *Edentata* 5: 46-47.

HEBELER-BARBOSA, F., M. R. MONTENEGRO, and E. BAGAGLI (2003): "Virulence profiles of ten *Paracoccidioides brasiliensis* isolates obtained from armadillos (*Dasyopus novemcinctus*)." *Medical Mycology* 41: 89-96.

HEBELER-BARBOSA, F., F. V. MORAIS, M. R. MONTENEGRO, E. E. KURAMAE, B. MONTES, J. G. MCEWEN, E. BAGAGLI, and R. PUCCIA (2003): "Comparison of the sequences of the internal transcribed Spacer regions and PbGP43 genes of *Paracoccidioides brasiliensis* from patients and armadillos (*Dasyopus novemcinctus*)." *Journal of Clinical Microbiology* 41: 5735-5737.

HERNÁNDEZ, M. B., S. SAAD, E. CASANAVE, F. M. FERNÁNDEZ, M. UHART, and A. VILÁ (2001): "Presencia de polímeros de caseínas en mamíferos." *Mastozoología Neotropical* 8: 15-20.

- HERRERA, H. M., A. M. R. DÁVILA, A. NOREK, U. G. ABREU, S. S. SOUZA, P. S. D'ANDREA, and A. M. JANSEN (2004):** "Enzootiology of *Trypanosoma evansi* in Pantanal, Brazil." *Veterinary Parasitology* 125: 263-275.
- HERRICK, J. R., M. K. CAMPBELL, and W. F. SWANSON (2002):** "Electroejaculation and semen analysis in the La Plata three- banded armadillo (*Tolypeutes matacus*)."
Zoo Biology 21: 481-487.
- HILL, R. V. (2006):** "Comparative anatomy and histology of xenarthran osteoderms."
Journal of Morphology 267: 1441-1460.
- HOCK, A. D., and F. M. KNIGHT (2003):** "Size and growth variance within and among armadillo clones (*Dasypus novemcinctus*)."
Integrative and Comparative Biology 43: 873-873.
- JIMENEZ-RUIZ, F. A., and S. L. GARDNER (2003):** "Aspidoderid nematodes from Bolivian armadillos, with the description of a new species of *Lauroia* (Heterakoidea : Aspidoderidae)."
Journal of Parasitology 89: 978-983.
- JIMENEZ-RUIZ, F. A., S. L. GARDNER, and A. S. VARELA-STOKES (2006):** "Aspidoderidae from North America, with the description of a new species of *Aspidodera* (Nematoda: Heterakoidea)."
J. Parasitol. 92: 847-854.
- JOB, C. K. (2003):** "Nine-banded armadillo and leprosy research."
Indian J. Pathol. Microbiol. 46: 541-550.
- JONES, C. J., A. M. CARTER, J. D. APLIN, and A. C. ENDERS (2007):** "Glycosylation at the fetomaternal interface in hemomonochorial placentae from five widely separated species of mammal: is there evidence for convergent evolution?"
Cells Tissues Organs 185: 269-284.
- KIM, D. S., D. T. PLAS, D. K. COATS, M. C. CRAIR, and E. A. PAYSSE (2001):** "Characterization of visual pathway in the nine banded armadillo by WGA-HRP histochemistry."
Investigative Ophthalmology & Visual Science 42: 336.
- KINLAW, A. E. (2006):** "Burrow dispersion of central Florida armadillos."
Southeastern Naturalist 5: 523-534.
- KOMAR, O., and C. K. HANKS (2002):** "Fan-tailed warbler foraging with nine-banded armadillos."
Wilson Bulletin 114: 526-528.
- KONDRASHOV, F. A. (2005):** "The convergent evolution of the secondary structure of mitochondrial cysteine tRNA in the nine-banded armadillo *Dasypus novemcinctus* (Russian)."
Biofizika 50: 396-403.
- KOPP-VALDIVIA, D. M. (2005):** "Abundancia de mamíferos de uso alimenticio en zonas de caza de Tsimane' y zonas sin caza en la Reserva de la Biosfera del Beni (Beni, Bolivia)." I Congreso Nacional de Mastozoología en Bolivia, Cochabamba, Bolivia, May 31 - June 3
- KRIVOKAPICH, S. J., V. MOLINA, H. F. BERGAGNA, and E. A. GUARNERA (2006):** "Epidemiological survey of *Trichinella* infection in domestic, synanthropic and sylvatic animals from Argentina."
J. Helminthol. 80: 267-269.
- LANE, J. E., D. S. WALSH, W. M. MEYERS, M. K. KLASSEN-FISCHER, D. E. KENT, and D. J. COHEN (2006):** "Borderline tuberculoid leprosy in a woman from the state of Georgia with armadillo exposure."
J. Am. Acad. Dermatol. 55: 714-716.

- LIMA E SILVA, M. F., M. P. J. SZABO, and G. H. BECHARA (2004):** "Microscopic features of tick-bite lesions in anteaters and armadillos: Emas National Park and the Pantanal region of Brazil." *Ann. N.Y. Acad. Sci.* 1026: 235-241.
- LINDSAY, D. S., S. M. MITCHELL, M. C. VIANNA, and J. R. DUBEY (2004):** "Sarcocystis neurona (Protozoa : Apicomplexa): Description of oocysts, sporocysts, sporozoites, excystation, and early development." *Journal of Parasitology* 90: 461-465.
- LIZARRALDE, M. S., A. D. BOLZAN, S. POLJAK, M. I. PIGOZZI, J. BUSTOS, and M. S. MERANI (2005):** "Chromosomal localization of the telomeric (TTAGGG)(n) sequence in four species of Armadillo (Dasypodidae) from Argentina: an approach to explaining karyotype evolution in the Xenarthra." *Chromosome Research* 13: 777-784.
- LÓPEZ-HURTADO, M., S. FLORES-MEDINA, F. J. DÍAZ-GARCÍA, and F. M. GUERRA-INFANTE (2005):** "Partial characterization of phagocytic activity in neutrophils of the nine-banded armadillo *Dasypus novemcinctus*." *Veterinary Immunology & Immunopathology* 106: 269-275.
- LOUGHRY, W. J., and C. M. McDONOUGH (2001):** "Natal recruitment and adult retention in a population of nine-banded armadillos." *Acta Theriologica* 46: 393-406.
- LOUGHRY, W. J., and C. M. McDONOUGH (2002):** "Phenotypic variability within and between litters of nine-banded armadillos." *Southeastern Naturalist* 1: 287-298.
- LOUGHRY, W. J., P. A. PRODÖHL, and C. M. McDONOUGH (2005):** "The inadequacy of observation: understanding armadillo biology with molecular markers." in *Recent research developments in ecology*, ed. by S. G. Pandalai. Kerala, India: Transworld Research Network: 55-73.
- LOUGHRY, W. J., E. G. ROBERTSON, and C. M. McDONOUGH (2002):** "Patterns of anatomical damage in a population of nine-banded armadillos *Dasypus novemcinctus* (Xenarthra, Dasypodidae)." *Mammalia* 66: 111-122.
- LUENGOS VIDAL, E., D. BIROCHIO, C. MANFREDI, and E. B. CASANAVE (2002):** "Los carnívoros del pastizal serrano y su rol en la conservación." in *Territorio, Economía y Medio Ambiente en el Sudoeste Bonaerense*, ed. by M. d. C. Vaquero. Bahía Blanca, Argentina: EDIUNS: 547-559.
- LUX HOPPE, E. G., and A. A. DO NASCIMENTO (2007):** "Natural infection of gastrointestinal nematodes in long-nosed armadillos *Dasypus novemcinctus* Linnaeus, 1758 from Pantanal wetlands, Aquidauana sub-region, Mato Grosso do Sul State, with the description of *Hadrostrongylus speciosum* n. gen. et n. sp. (Molineidae: Anoplostrongylinae)." *Vet. Parasitol.* 144: 87-92.
- MACHICOTE, M., L. C. BRANCH, and D. VILLARREAL (2004):** "Burrowing owls and burrowing mammals: are ecosystem engineers interchangeable as facilitators?" *Oikos* 106: 527-535.
- MACHICOTE, M. E., L. C. BRANCH, and D. VILLAREAL (2002):** "Facilitation-inhibition: Burrowing owls and their hosts in central Argentina." 87th Annual Meeting of the Ecological Society of America and the 14th Annual International Conference of the Society for Ecological Restoration, Tucson, Arizona, USA, Aug. 04-09, 2002: 385.
- MACORIS, S. A., M. F. SUGIZAKI, M. T. PERACOLI, S. M. BOSCO, F. HEBELER-BARBOSA, L. B. SIMOES, R. C. THEODORO, L. A. TRINCA, and E. BAGAGLI (2006):** "Virulence attenuation and phenotypic variation of *Paracoccidioides brasiliensis*

isolates obtained from armadillos and patients." *Mem. Inst. Oswaldo Cruz* 101: 331-334.

MAFFEI, L. (2006): "Extension of the distribution of *Cabassous unicinctus* in Santa Cruz, Bolivia (field note)." *Edentata* 7: 53-54.

MAIA VAZ, S. (2003): "Lista de localidades de captura de Xenartros sob ameaça de extinção no Brasil." *Edentata* 5: 4-5.

MALDONADO, E. N., E. B. CASANAVE, and M. I. AVELDANO (2002): "Major plasma lipids and fatty acids in four HDL mammals." *Comparative Biochemistry and Physiology a-Molecular and Integrative Physiology* 132: 297-303.

MALDONADO, E. N., E. B. CASANAVE, and M. I. AVELDAÑO (2002): "Major Plasma Lipids and Fatty Acids in four HDL Mammals." *Comp. Biochem. Physiol. Part B* 132: 297-303.

MAPELLI, F. J., and M. C. GRIERSON (2003): "Estudio preliminar sobre uso de hábitat de *Chaetophractus villosus* (Mammalia, Dasypodidae) en un agroecosistema del sudoeste bonaerense." XVIII Jornadas Argentinas de Mastozoología: 61.

MCDONALD, H. G. (2002): "Fossil Xenarthra of Mexico: A review." in *Avances en los estudios paleomastozoológicos en México*, ed. by M. Montellano Ballesteros, and J. Arroyo Cabrales. Mexico: Instituto Nacional de Antropología e Historia: 227-248.

MCDONOUGH, C. M., J. M. LOCKHART, and W. J. LOUGHRY (2007): "Population dynamics of nine-banded armadillos: Insights from a removal experiment." *Southeastern Naturalist* 6: 381-392.

MCDONOUGH, C. M., and W. J. LOUGHRY (2001): "Armadillos." in *Encyclopedia of Mammals, 2nd. Ed.*, ed. by D. W. Macdonald. London: Oxford University Press: 796-799.

MEDINACELI V., A. (2004): *Recursos animales utilizados en la medicina tradicional en dos comunidades Tsimane' que habitan en serranías (Alto Colorado) y llanos (Asunción del*

Quiquibey) de la RB-TCO Pilón Lajas, La Paz/Beni, Bolivia. Undergraduate thesis, Universidad Mayor de San Andrés, La Paz, Bolivia.

MERCOLLI, C., and A. A. YANOVSKY (2001): "Greater rhea predation in the eastern Chaco of Argentina." *Ararajuba* 9: 139-141.

MERRITT, D. A., JR. (2006): "Research questions on the behavior and ecology of the giant armadillo (*Priodontes maximus*)." *Edentata* 7: 30-33.

MERRITT, D. A., JR. (n.d.): "Edentate hand-rearing." (*unpublished*): 1-11.

MERRITT, D. A., JR. (n.d.): "Small mammal identification techniques."

MERRIAM, D. F. (2002): "The armadillo (*Dasypus novemcinctus* (Linnaeus)) invasion of Kansas." *Transactions of the Kansas Academy of Science* April: 44-51.

MESSIAS-COSTA, A., A. M. BERESCA, K. CASSARO, L. DE STEFANI MUNAO DINIZ, and C. ESBÉRARD (2001): "Chapter 24: Order Xenarthra (Edentata) (Sloths, armadillos, anteaters)." in *Biology, Medicine, and Surgery of South American wild animals.*, ed. by M. E. Fowler, and Z. S. Cubas. Ames, Iowa: Iowa State University Press: 238-255.

- MORGAN, G. S. (2002):** "Late Rancholabrean mammals from southernmost Florida, and the Neotropical influence in Florida Pleistocene faunas." *Smithsonian Contributions to Paleobiology* 93: 15-38.
- MURPHY, W. J., E. EIZIRIK, W. E. JOHNSON, Y. P. ZHANG, O. A. RYDER, and S. J. O'BRIEN (2001):** "Molecular phylogenetics and the origins of placental mammals." *Nature London* 409: 614-618.
- MURPHY, W. J., T. H. PRINGLE, T. A. CRIDER, M. S. SPRINGER, and W. MILLER (2007):** "Using genomic data to unravel the root of the placental mammal phylogeny." *Genome Res.* 17: 413-421.
- NAUGHTON-TREVES, L., J. L. MENA, A. TREVES, N. ALVAREZ, and V. C. RADELOFF (2003):** "Wildlife survival beyond park boundaries: The impact of slash and burn agriculture and hunting on mammals in Tambopata, Peru." *Conservation Biology* 17: 1106-1117.
- NEESER, J. A., and C. S. VON BARTHELD (2002):** "Comparative anatomy of the paratympenic organ (Vitali organ) in the middle ear of birds and non-avian vertebrates: Focus on alligators, parakeets and armadillos." *Brain Behavior and Evolution* 60: 65-79.
- Noss, A., E. CUÉLLAR, and R. L. CUÉLLAR (2003):** "Hunter self-monitoring as a basis for biological research: data from the Bolivian Chaco." *Mastozoología Neotropical* 10: 49-67.
- Noss, A., E. CUÉLLAR, and R. L. CUÉLLAR (2004):** "An evaluation of hunter self-monitoring in the Bolivian Chaco." *Human Ecology* 32: 685-702.
- Noss, A., R. PEÑA, and D. I. RUMIZ (2004):** "Camera trapping *Priodontes maximus* in the dry forests of Santa Cruz, Bolivia." *Endangered Species Update* 21: 43-52.
- NOTARNICOLA, J., and G. T. NAVONE (2003):** "Systematic and distribution of *Orihelia anticlava* (Molin, 1858) (Nematoda, Onchocercidae) from dasypodids of South America." *Acta Parasitologica* 48: 103-110.
- NOUHRA, E. R., L. S. DOMINGUEZ, A. G. BECERRA, and J. M. TRAPPE (2005):** "Morphological, molecular and ecological aspects of the South American hypogeous fungus *Alpova austroalnicola* sp. nov." *Mycologia* 97: 598-604.
- OLIVEIRA, E. V. (2001):** "Dental microwear in some Dasypodidae (Mammalia: Xenarthra). (in Portuguese)" *Acta Biologica Leopoldensia* 23: 83-91.
- OLOCCO DIZ, M. J., and A. DUGGAN (2004):** "The first hand-rearing of larger hairy armadillos (*Chaetophractus villosus*) at the Temaiken Foundation." *Edentata* 6: 27-30.
- OLOCCO DIZ, M. J., B. QUSE, and G. G. GACHEN (2006):** "Registro de medidas y pesos del tubo digestivo de un ejemplar de *Chaetophractus villosus*." *Edentata* 7: 23-25.
- PAIGE, C. F., D. T. SCHOLL, and R. W. TRUMAN (2002):** "Prevalence and incidence density of *Mycobacterium leprae* and *Trypanosoma cruzi* infections within a population of wild nine-banded armadillos." *Am. J. Trop. Med. Hyg.* 67: 528-532.
- PARDIÑAS, U. F. J. (2001):** "Condiciones aridas durante el Holoceno Temprano en el sudoeste de la provincia de Buenos Aires (Argentina): Vertebrados y tafonomia." *Ameghiniana* 38: 227-236.

- PEÑA, R., and E. CUÉLLAR (2005):** "Utilidad del monitoreo con trampas-cámara en evaluaciones de edentados en el Chaco, Santa Cruz, Bolivia." Technical Report Number 154. Bolivia: Wildlife Conservation Society.
- PERROGÓN, E. (2001):** "Estudio de la abundancia y frecuencia de uso de hábitat de la familia Dasypodidae en el Chaco Boliviano (Izozog, Provincia Cordillera, Santa Cruz, Bolivia)." Technical Report Number 77. Santa Cruz, Bolivia: Kaa-iYa Project (WCS, CABI).
- PESSINO, M. E. M., J. H. SARASOLA, C. WANDER, and N. BESOKY (2001):** "Respuesta a largo plazo del puma (*Puma concolor*) a una declinación poblacional de la vizcacheta (*Lagostomus maximus*) en el desierto del Monte, Argentina." *Ecología Austral* 11: 61-67.
- PLATT, S. G., and T. R. RAINWATER (2003):** "Above-ground "nest" of the nine-banded armadillo in Belize." *Florida Field Naturalist* 31: 8-9.
- PLATT, S. G., T. R. RAINWATER, and S. W. BREWER (2004):** "Aspects of the burrowing ecology of nine-banded armadillos in northern Belize." *Mammalian Biology* 69: 217-224.
- POLJAK, S., J. ESCOBAR, G. DEFERRARI, and M. LIZARRALDE (2007):** "A new introduced mammal in Tierra del Fuego: the "large hairy armadillo" *Chaetophractus villosus* (Mammalia, Dasypodidae) in the Isla Grande island." *Revista Chilena de Historia Natural* 80: 285-294.
- POLJAK, S., M. LIZARRALDE, and M. S. MERANI (2004):** "Características ecológico poblacionales en tres especies de armadillos de la provincia de Buenos Aires." Congreso Nacional de Conservación de la Biodiversidad, Escobar, Argentina: 115-116.
- PORINI, G. (2001):** "Tatú carreta (*Priodontes maximus*) en Argentina." *Edentata* 4: 9-14.
- PORTAELS, F., K. CHEMLAL, P. ELSÉN, P. D. R. JOHNSON, J. A. HAYMAN, J. HIBBLE, R. KIRKWOOD, and W. M. MEYERS (2001):** "Mycobacterium ulcerans in wild animals." *Revue Scientifique et Technique Office International des Epizooties* 20: 252-264.
- PRADA, M., and J. MARINHO-FILHO (2004):** "Effects of fire on the abundance of Xenarthrans in Mato Grosso, Brazil." *Austral Ecology* 29: 568-573.
- REDFORD, K. H. (n.d.):** "Sinopse dos edentados (tamanduás, preguiças e tatús) do Brasil central." *Unpublished manuscript*.
- REDI, C. A., H. ZACHARIAS, S. MERANI, M. OLIVEIRA-MIRANDA, M. AGUILERA, M. ZUCCOTTI, S. GARAGNA, E. CAPANNA, and S. J. O'BRIEN (2005):** "Genome sizes in Afrotheria, Xenarthra, Euarchontoglires, and Laurasiatheria." *Journal of Heredity* 96: 485-493.
- RESTREPO, A., J. G. McEWEN, and E. CASTANEDA (2001):** "The habitat of *Paracoccidioides brasiliensis*: How far from solving the riddle?" *Medical Mycology* 39: 233-241.
- ROJAS ESPINOSA, O., and M. LOVIK (2001):** "Mycobacterium leprae and Mycobacterium lepraemurium infections in domestic and wild animals." *Revue Scientifique et Technique Office International des Epizooties* 20: 219-251.

- ROJAS SUÁREZ, C. (2002):** "Estimación de edad de fetos de corechi *Tolypeutes matacus* colectados en Isoso." Technical Report Number 72. Bolivia: Wildlife Conservation Society.
- ROJAS SUÁREZ, C. R. (2001):** *Reproducción de Dasypus novemcinctus en el Izozog, Santa Cruz, Bolivia.* Tesis de licenciatura, UAGRM, Santa Cruz, Bolivia.
- ROJAS-SUÁREZ, C. R., and L. MAFFEI (2003):** "Reproducción de *Dasypus novemcinctus* en el Izozog, Santa Cruz, Bolivia." *Edentata* 5: 47-54.
- ROMERO-MUÑOZ, A., and J. C. PÉREZ-ZUBIETA (2005):** "Evaluación preliminar del comercio de mamíferos silvestres en el mercado La Pampa, Cochabamba, Bolivia." I Congreso Nacional de Mastozoología en Bolivia, Cochabamba, Bolivia, May 31 - June 3
- SAGGESE, M. D., and E. R. DE LUCCA (2004):** "Live mammal prey (*Zaedyus pichiy*) in a nest of the black-chested buzzard eagle (*Geranoaetus melanoleucus*)." *Journal of Raptor Research* 38: 101-102.
- SANDERSON (n.d.):** "Zahnarme (Edentata)." in *Säugetiere*: Droemer Knaur: 109-116.
- SANDERSON, J., and J. SILVEIRA (2003):** "Observations of *Xenarthra* in the brazilian cerrado and Guyana." *Edentata* 5: 40-44.
- SANDNER, L., L. E. EGUIARTE, A. NAVARRO, A. CRAVIOTO, and V. SOUZA (2001):** "The elements of the locus of enterocyte effacement in human and wild mammal isolates of *Escherichia coli*: Evolution by assemblage or disruption?" *Microbiology Reading* 147: 3149-3158.
- SANTOS FILHO, M. D., and M. N. FERREIRA DA SILVA (2002):** "Use of habitats for mammals in areas of Cerrado of central Brazil: a study with photographic snares. (in Portuguese)" *Revista Brasileira de Zoociencias* 4: 57-73.
- SCHIMMING, B. C., and M. A. FERNANDES DE ABREU (2001):** "Systematization of the arteries in the splenic hilus of the armadillo (*Dasypus novemcinctus*, L.)." *Revista Chilena de Anatomia* 19: 149-154.
- SCIURANO, R. B., M. S. MERANI, J. BUSTOS, and A. J. SOLARI (2006):** "Synaptonemal complexes and XY behavior in two species of Argentinian armadillos: *Chaetophractus villosus* and *Dasypus hybridus* (*Xenarthra*, *Dasypodidae*)." *Biocell* 30: 57-66.
- SILVA, E. A., P. S. ROSA, M. S. ARRUDA, and E. M. RUBIO (2005):** "Determination of Duffy phenotype of red blood cells in *Dasypus novemcinctus* and *Cabassous* sp." *Braz. J. Biol.* 65: 555-557.
- SIMKIN, S. M., and W. K. MICHENER (2005):** "Faunal soil disturbance regime of a longleaf pine ecosystem." *Southeastern Naturalist* 4: 133-152.
- SIMON, C. P. (n.d.):** "Ein harter Typ macht sich beliebt." 155-162.
- SOIBELZON, E., A. A. CARLINI, E. P. TONNI, and L. H. SOIBELZON (2006):** "*Chaetophractus vellerosus* (Mammalia : *Dasypodidae*) in the Ensenadan (Early-Middle Pleistocene) of the southeastern Pampean region (Argentina). Paleozoogeographical and paleoclimatic aspects" *Neues Jahrbuch für Geologie und Paläontologie-Monatshefte* 12: 734-748.

- SOIBELZON, E., G. DANIELE, J. NEGRETE, A. A. CARLINI, and S. PLISCHUK (2007):** "Annual diet of the little hairy armadillo, *Chaetophractus vellerosus* (Mammalia, Dasypodidae), in Buenos Aires province, Argentina." *Journal of Mammalogy* 88: 1319-1324.
- SOUSA E SILVA JÚNIOR, J. D., M. E. BARRONCAS FERNANDES, and R. CERQUEIRA (2001):** "New records of the yellow armadillo (*Euphractus sexcinctus*) in the state of Maranhão, Brazil (Xenarthra, Dasypodidae)." *Edentata* 4: 18-23.
- SOUSA E SILVA JÚNIOR, J. D., and A. PORTELA NUNES (2001):** "The disjunct geographical distribution of the yellow armadillo, *Euphractus sexcinctus* (Xenarthra, Dasypodidae)." *Edentata* 4: 16-18.
- STALLER, E. L., W. E. PALMER, J. P. CARROLL, R. P. THORNTON, and D. C. SISSON (2005):** "Identifying predators at northern bobwhite nests." *Journal of Wildlife Management* 69: 124-132.
- SUPERINA, M. (2006):** "New information on population declines in pink fairy armadillos (field note)." *Edentata* 7: 48-50.
- SUPERINA, M. (2007):** *Natural history of the pichi (Zaedyus pichiy) in Mendoza Province, Argentina*. PhD Dissertation, University of New Orleans, New Orleans: 155.
- SUPERINA, M. (2007):** *Natural history of the pichi (Zaedyus pichiy) in Mendoza Province, Argentina*. PhD Thesis, University of New Orleans, New Orleans: 156.
- SUPERINA, M., and J. M. AGUIAR (2006):** "A reference list of common names for the Edentates." *Edentata* 7: 33-44.
- SUPERINA, M., and P. BOILY (2007):** "Hibernation and daily torpor in an armadillo, the pichi (*Zaedyus pichiy*)." *Comparative Biochemistry and Physiology, Part A* 148: 893-898.
- SUPERINA, M., A. A. GUGLIELMONE, A. J. MANGOLD, S. NAVA, and M. LARESCHI (2004):** "New distributional and host records for *Amblyomma pseudoconcolor* Aragão, 1908 (Acari: Ixodidae: Amblyomminae)." *Systematic & Applied Acarology* 9: 41-43.
- TANAKA, R., A. SANO, M. FRANCO, E. BAGAGLI, M. R. MONTENEGRO, K. NISHIMURA, and M. MIYAJI (2001):** "Cerebriform colonies of *Paracoccidioides brasiliensis* isolated from nine-banded armadillos (*Dasypus novemcinctus*) at room temperature." *Mycoses* 44: 9-12.
- TANHAUSER, S. M., M. A. CHEADLE, E. T. MASSEY, B. A. MAYER, D. E. SCHROEDTER, J. B. DAME, E. C. GREINER, and R. J. MACKAY (2001):** "The nine-banded armadillo (*Dasypus novemcinctus*) is naturally infected with *Sarcocystis neurona*." *Int. J. Parasitol.* 31: 325-329.
- TIMOCK, J., and C. VAUGHAN (2003):** "A census of mammal populations in Punta Leona Private Wildlife Refuge, Costa Rica." *Revista de Biología Tropical* 50: 1169-1180.
- TORRICO, O., M. VISCARRA, and M. DA SILVA (2005):** "Uso de mastofauna silvestre en el carnaval de Oruro y sus implicaciones." I Congreso Nacional de Mastozoología en Bolivia, Cochabamba, Bolivia, May 31 - June 3
- TRUMAN, R. W. (2005):** "Leprosy in wild armadillos." *Lepr. Rev.* 76: 198-208.

- VAN DEELEN, T. R., J. D. PARRISH, and E. J. HESKE (2002):** "A nine-banded armadillo (*Dasyus novemcinctus*) from central Illinois." *Southwestern Naturalist* 47: 489-491.
- VICKARYOUS, M. K., and B. K. HALL (2006):** "Osteoderm morphology and development in the nine-banded armadillo, *Dasyus novemcinctus* (Mammalia, Xenarthra, Cingulata)." *J. Morphol.* 267: 1273-1283.
- VIGNAROLI, L. (2005):** "El peludo o armadillo - enemigo o amigo?" *Revista Agromensajes (Facultad de Ciencias Agrarias, Universidad Nacional de Rosario, Argentina)* 17.
- VIZCAINO, S. F., M. S. BARGO, R. F. KAY, and N. MILNE (2006):** "The armadillos (Mammalia, Xenarthra, Dasypodidae) of the Santa Cruz formation (early-middle Miocene): An approach to their paleobiology." *Palaeogeography Palaeoclimatology Palaeoecology* 237: 255-269.
- VIZCAÍNO, S. F., and G. DE IULIIS (2003):** "Evidence for advanced carnivory in fossil armadillos (Mammalia: Xenarthra: Dasypodidae)." *Paleobiology* 29: 123-138.
- VIZCAÍNO, S. F., R. A. FARIÑA, M. S. BARGO, and G. DE IULIIS (2004):** "Functional and phylogenetic assessment of the masticatory adaptations in Cingulata (Mammalia, Xenarthra)." *Ameghiniana* 41: 651-664.
- VIZCAÍNO, S. F., and A. GIALLOMBARDO (2001):** "Armadillos del noroeste Argentino (Provincias de Jujuy y Salta)." *Edentata* 4: 5-9.
- VIZCAÍNO, S. F., and N. MILNE (2002):** "Structure and function in armadillo limbs (Mammalia: Xenarthra: Dasypodidae)." *Journal of Zoology London* 257: 117-127.
- VIZCAÍNO, S. F., N. MILNE, and M. S. BARGO (2003):** "Limb reconstruction of *Eutatus seguini* (Mammalia: Xenarthra: Dasypodidae). Paleobiological implications." *Ameghiniana* 40: 89-101.
- VIZCAÍNO, S. F., M. ZÁRATE, M. S. BARGO, and A. DONDAS (2001):** "Pleistocene burrows in the Mar del Plata area (Buenos Aires Province, Argentina) and their probable builders." in: "*Biomechanics and Paleobiology of Vertebrates*" (S.F. Vizcaíno, Fariña, R.A., Janis C., eds.); *Acta Paleontologica Polonica, Special Issue* 46: 157-169.
- WEISMAN, D. (2002):** "The enduring, endearing armadillo." *Texas Highways* December: 40-47.
- WERNING, H. (2002):** "Das Borstengürteltier (*Chaetophractus vellerosus*)." *Rodentia* 2: 31-34, Nr. 7.
- WIBLE, J. R., and T. J. GAUDIN (2004):** "On the cranial osteology of the yellow armadillo *Euphractus sexcinctus* (Dasypodidae, Xenarthra, Placentalia)." *Annals of Carnegie Museum* 73: 260-260.
- WIBLE, J. R., and T. J. GAUDIN (2004):** "On the cranial osteology of the yellow armadillo *Euphractus sexcinctus* (Dasypodidae, Xenarthra, Placentalia)." *Annals of Carnegie Museum* 73: 117-196.
- YANOSKY, A., and C. MERCOLLI (n.d.):** "Estimaciones sobre el uso de los ambientes por el tatú negro (*Dasyus novemcinctus*) en la Reserva Ecológica El Bagual." *Contribución técnica No. 27 de Alparamis S.A.*: 10.
- YEO, M., N. ACOSTA, M. LLEWELLYN, H. SÁNCHEZ, S. ADAMSON, G. A. J. MILES, E. LÓPEZ, N. GONZÁLEZ, J. S. PATTERSON, M. W. GAUNT, A. R. D. ARIAS, and M. A.**

MILES (2005): "Origins of Chagas disease: Didelphis species are natural hosts of Trypanosoma cruzi I and armadillos hosts of Trypanosoma cruzi II, including hybrids." *International Journal for Parasitology* 35: 225-233.

ZAPATA RÍOS, G. (2001): "Sustentabilidad de la cacería de subsistencia: el caso de cuatro comunidades quichuas en la Amazonía nororiental ecuatoriana." *Mastozoología Neotropical* 8: 59-66.

ZIMMERMAN, B., C. A. PERES, J. R. MALCOLM, and T. TURNER (2001): "Conservation and development alliances with the Kayapo of south eastern Amazonia, a tropical forest indigenous people." *Environmental Conservation* 28: 10-22.

ZUMARRAGA, M. J., E. H. RESOAGLI, M. E. CICUTA, A. R. MARTINEZ, M. I. O. DE ROTT, S. G. DE MILLÁN, K. CAIMI, A. GIOFFRE, A. ALITO, F. BIGI, A. A. CATALDI, and M. I. ROMANO (2001): "PCR-restriction fragment length polymorphism analysis (PRA) of Mycobacterium leprae from human lepromas and from a natural case of an armadillo of Corrientes, Argentina." *Int. J. Lepr.* 69: 21-25.

No Date

BERTELSMANN (n.d.): "Gürteltiere." in *Bertelsmann Tierlexikon*, ed. by Bertelsmann.

MERITT, D. A., JR. (n.d.): "Edentate hand-rearing." (*unpublished*): 1-11.

MERITT, D. A., JR. (n.d.): "Small mammal identification techniques."

REDFORD, K. H. (n.d.): "Sinopse dos edentados (tamanduás, preguiças e tatús) do Brasil central." *Unpublished manuscript*.

SANDERSON (n.d.): "Zahnarme (Edentata)." in *Säugetiere*: Droemer Knauer: 109-116.

SIMON, C. P. (n.d.): "Ein harter Typ macht sich beliebt." *Geo*: 155-162.

YANOSKY, A., and C. MERCOLLI (n.d.): "Estimaciones sobre el uso de los ambientes por el tatú negro (Dasypus novemcinctus) en la Reserva Ecológica El Bagual." *Contribución técnica No. 27 de Alparamis S.A.*: 10.